

Cambridge IGCSE™

CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/41 October/November 2024

Paper 4 (Extended) MARK SCHEME Maximum Mark: 120

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2024 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **9** printed pages.

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptions for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Mathematics-Specific Marking Principles

- 1 Unless a particular method has been specified in the question, full marks may be awarded for any correct method. However, if a calculation is required then no marks will be awarded for a scale drawing.
- 2 Unless specified in the question, non-integer answers may be given as fractions, decimals or in standard form. Ignore superfluous zeros, provided that the degree of accuracy is not affected.
- 3 Allow alternative conventions for notation if used consistently throughout the paper, e.g. commas being used as decimal points.
- 4 Unless otherwise indicated, marks once gained cannot subsequently be lost, e.g. wrong working following a correct form of answer is ignored (isw).
- 5 Where a candidate has misread a number or sign in the question and used that value consistently throughout, provided that number does not alter the difficulty or the method required, award all marks earned and deduct just 1 A or B mark for the misread.
- 6 Recovery within working is allowed, e.g. a notation error in the working where the following line of working makes the candidate's intent clear.

MARK SCHEME NOTES

The following notes are intended to aid interpretation of mark schemes in general, but individual mark schemes may include marks awarded for specific reasons outside the scope of these notes.

Types of mark

- M Method marks, awarded for a valid method applied to the problem.
- A Accuracy mark, awarded for a correct answer or intermediate step correctly obtained. For accuracy marks to be given, the associated Method mark must be earned or implied.
- B Mark for a correct result or statement independent of Method marks.

When a part of a question has two or more 'method' steps, the M marks are in principle independent unless the scheme specifically says otherwise; and similarly where there are several B marks allocated. The notation 'dep' is used to indicate that a particular M or B mark is dependent on an earlier mark in the scheme.

Abbreviations

answers which round to awrt correct answer only cao dep dependent follow through after error FT isw ignore subsequent working nfww not from wrong working or equivalent oe rounded or truncated rot Special Case SC seen or implied soi

Question	Answer	Marks	Partial Marks
1(a)(i)	_4	2	M1 for $6x = -19 - 5$ or $x + \frac{5}{6} = -\frac{19}{6}$
1(a)(ii)	2	2	M1 for $8x + 4x =$ or $px + qx = 11 + 13$
1(a)(iii)	0.7 or $\frac{7}{10}$	3	M1 for correctly eliminating fractions M1 for correct rearrangement into the form ax = b
1(b)	Correct sketch or Correct substitution into formula	M1	
	0.61 -0.27	A2	A1 for each or both correct to a greater degree of accuracy
			SC1 for two correct answers with no or incorrect working

Question	Answer	Marks	Partial Marks
2(a)(i)	$\frac{80}{2^2} + \frac{\left(200 + 10^2\right)}{\sqrt{9}}$	M1	Allow 1 rounding error
	120	A1	
2(a)(ii)	Numerators are rounded up and denominators are rounded down	1	
2(a)(iii)	94.[0] or 94.01	1	
2(b)	$\frac{2}{3}$ oe	1	
2(c)(i)	0.506 oe	1	
2(c)(ii)	0.002 oe	1	
2(d)	10.7 or 10.66 to 10.67 or $10\frac{2}{3}$ or $\frac{32}{3}$	3	M2 for $\frac{\left(20+8\times\frac{50}{60}\right)}{150}$ [×60] oe or M1 for (<i>their</i> total distance) / (<i>their</i> total
			time)
3(a)(i)	Correct points plotted	2	B1 for 3 points correct
3(a)(ii)	negative	1	
3(b)	12.1 or 12.09	1	
3(c)(i)	y = -0.109x + 22.1	2	B1 for $y = -kx + 22.1$ or $y = -0.109x + k$ or $y = -0.11x + 22$
3(c)(ii)	13.4 or 13.38	1	FT their (c)(i)
3(c)(iii)	Outside data range oe	1	
4(a)(i)	128	3	M2 for $[400 \times] \frac{8}{12+8+5}$ or M1 for 12, 8, 5 or 25
4(a)(ii)	99	2	M1 for $\frac{3}{2} \times 66$ oe
4(a)(iii)	5	2	M1 for $3x = 2.5(x+1)$ oe
4(b)(i)	79.2 [0]	2	M1 for $90 \times \frac{100 - 12}{100}$ oe
			or B1 for 10.8

Question	Answer	Marks	Partial Marks
4(b)(ii)	500	2	M1 for $x \times \frac{100 - 12}{100} = 440$ oe
4(c)	$930 = X + \frac{24X}{100}$ oe	M1	
	$X = \frac{930}{1.24}$ oe	A1	
4(d)	3.5 or 3.4999	3	M2 for $\sqrt[6]{\frac{921.94}{750}}$
			or M1 for $750 \times (k)^6 = 921.94$ oe
5(a)	$\frac{1}{2} \times 26.3 \times AC \times \sin 115 = 262$	M1	
	$AC = \left[\frac{262 \times 2}{26.3 \times \sin 115} = \right] 21.98[= 22.0]$	A1	
5(b)	40.8 or 40.78 to 40.80	3	M2 for $[BC =] \sqrt{26.3^{2} + 22^{2} - 2 \times 26.3 \times 22 \times \cos 115}$ or M1 for $[BC^{2} =] 26.3^{2} + 22^{2} - 2 \times 26.3 \times 22 \times \cos 115$
5(c)	$\sin ABC = \frac{22 \times \sin 115}{their 40.8}$ oe	M2	M1 for $\frac{22}{\sin ABC} = \frac{their 40.8}{\sin 115}$ oe
	29.2 or 29.3 or 29.23 to 29.26	B1	
5(d)	12.8 to 12.9	2	M1 for $262 = 0.5 \times x \times their 40.8$ Or for $x = 26.3 \times sin(their 29.2)$
6(a)(i)	Correct triangle (-7, -6) (-7, -3) (-6, -3)	2	B1 for correct orientation, incorrect position
6(a)(ii)	Correct triangle (7, -6) (7, -3) (6, -3)	1FT	
6(a)(iii)	Rotation Centre (0, 0) oe 90° [anticlockwise] oe	3	B1 for each
6(b)(i)	Translation Vector $\left(\frac{1}{-3}\right)$.	2	B1 for each
6(b)(ii)	Stretch and [invariant line] $y = 2$ [factor] $\frac{1}{3}$	2	B1 for each

Question	Answer	Marks	Partial Marks	
For all parts Do not pena	For all parts accept decimals or percentages with the usual rules for 3sf Do not penalise incorrect cancelling or converting. Do not accept ratios or words			
7(a)(i)	u B	2	B1 for 4 correct regions	
7(a)(ii)	5	2	M1 for 49 – 25 – 11 – 6 – 2 oe	
7(a)(iii)(a)	3	2	M1 for either $30 + x - y$ or $2(8 + x + y)$ oe	
7(a)(iii)(b)	10	1	FT 13 – <i>their</i> 3, must be an integer	
7(b)	$\frac{49}{60}$ oe	4	$\mathbf{M3} \text{ for } \left(\frac{7}{10} \times \frac{6}{9} \times \frac{5}{8}\right) + 3 \times \left(\frac{7}{10} \times \frac{6}{9} \times \frac{3}{8}\right)$ or $\mathbf{M2} \text{ for } \left(\frac{7}{10} \times \frac{6}{9} \times \frac{5}{8}\right) \text{ and } \left(\frac{7}{10} \times \frac{6}{9} \times \frac{3}{8}\right)$ or $3 \times \left(\frac{7}{10} \times \frac{6}{9} \times \frac{3}{8}\right)$ or $\mathbf{M1} \text{ for } \left(\frac{7}{10} \times \frac{6}{9} \times \frac{5}{8}\right) \text{ or } \left(\frac{7}{10} \times \frac{6}{9} \times \frac{3}{8}\right)$	
8(a)	-19	1		
	-7n + 23 oe	2	Allow full marks for $16 + (-7)(n-1)$ oe M1 for $-kn+23$ or $-7n+k$	
8(b)	72	1		
	$2n^2$	2	M1 for kn^2 or 2nd differences of 4 or -4	
8(c)	-11	1		
	$(-1)^{n+1}(2n-1)$ oe	2	M1 for $(-1)^{n+1}(an+b)$ or $k(2n-1)$ oe	
8(d)	1	1		
	$-n^2 + 6n + 1$	2	M1 for $-an^2 + bn + c$ with $a \neq 0$ or 2nd differences of -2 or 2	

Question	Answer	Marks	Partial Marks
9(a)	Correct sketch	3	 B1 for correct shape with 3 branches B1 for the local maximum in correct position, not above x-axis B1 for graph with no excessive overlaps, gaps or curl backs, the upper branches not crossing the x-axis
9(b)	x = -0.5 x = 1.5	2	B1 for each
9(c)	(0.5, -0.25)	2	B1 for each
9(d)	-0.448 1.3[0] 2.15	3	B1 for each If 0 scored, SC1 for –0.45, 1.3 and 2.1
9(e)	$[-2 \le]x < -0.5$ -0.448 $\le x \le 1.30$ $1.5 < x \le 2.15$	3	B1 for each, strict inequality on the asymptote values – only penalised once
10(a)	$\pi r l = 2\pi \times r^2$	B1	
	$l = \sqrt{r^2 + h^2}$	M1	
	$2r = \sqrt{r^2 + h^2}$ $4r^2 = r^2 + h^2$	M1	
	$h^{2} = 3r^{2}$ $\left[h = r\sqrt{3}\right]$	A1	No errors or omissions
10(b)	$\frac{2}{3}\pi \times r^3$ or $\frac{1}{3}\pi \times r^2 \times r\sqrt{3}$ seen	M1	
	$\frac{2}{3}\pi \times r^3 + \frac{1}{3}\pi \times r^2 \times r\sqrt{3}$ $\left[V = \frac{1}{3}\pi r^3 \left(2 + \sqrt{3}\right)\right]$	A1	
10(c)(i)	9r	2	M1 for $\left(243 \div \frac{1}{3}\right)^{\frac{1}{3}}$, implied by 9 seen

Question	Answer	Marks	Partial Marks
10(c)(ii)	31000 or 31018	4	M3 for $V = 243\pi \sqrt{\frac{5000}{324\pi}}^3 \left(2 + \sqrt{3}\right)$ or
			$V = 27\pi \sqrt{\frac{5000}{4\pi}}^{3} \left(2 + \sqrt{3}\right)$
			M2 for $r = \sqrt{\frac{5000}{324\pi}}$ or $R = \sqrt{\frac{5000}{4\pi}}$
			M1 for $4\pi \times (9r)^2 = 5000$ or $4\pi R^2 = 5000$
11(a)	$\frac{32\sqrt{2}}{5}$	4	B3 for $\log \frac{25}{32} = \log \frac{64}{x^2}$ oe
			M1 for $\log p + \log q = \log pq$ or
			$\log p - \log q = \log \frac{p}{q}$
			M1 for $\log 5^2$ or $\log 2^5$ or $\log 4^3$ or $\log x^2$ oe
11(b)	$[x=]\frac{y^2}{1-2y^2}$ oe final answer	4	M1 for correctly squaring M1 for correct elimination of fractions M1 for correct expansion of brackets and collecting terms into form $px=q$ M1 for correct division by a 2-term expression Max 3 marks for incorrect final answer