

## Cambridge IGCSE<sup>™</sup>

B1260	CANDIDATE NAME					
	CENTRE NUMBER		CANDIDATE NUMBER			
* ± 7	CAMBRIDGE	INTERNATIONAL MATHEMATICS	0607/41			
0	Paper 4 (Extend	ded)	October/November 2024			
μ ω			2 hours 15 minutes			
б И И	You must answe	er on the question paper.				
7 *	You will need:	Geometrical instruments				

## **INSTRUCTIONS**

- Answer all questions. •
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs. •
- Write your name, centre number and candidate number in the boxes at the top of the page. •
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid. •
- Do not write on any bar codes. •
- You should use a graphic display calculator where appropriate. •
- You may use tracing paper. •
- You must show all necessary working clearly and you will be given marks for correct methods, including sketches, even if your answer is incorrect.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in • degrees, unless a different level of accuracy is specified in the question.
- For  $\pi$ , use your calculator value. •

## **INFORMATION**

- The total mark for this paper is 120.
- The number of marks for each question or part question is shown in brackets [].

[Turn over



For the equation	$ax^2 + bx + c = 0$	$x = \frac{-b \pm b}{2}$	$\frac{\sqrt{b^2 - 4ac}}{2a}$
Curved surface area, A, of cy	linder of radius $r$ , height $h$ .		$A = 2\pi r h$
Curved surface area, A, of co	ne of radius r, sloping edge l.		$A = \pi r l$
Curved surface area, A, of sp	here of radius <i>r</i> .		$A = 4\pi r^2$
Volume, <i>V</i> , of pyramid, base	area A, height h.		$V = \frac{1}{3}Ah$
Volume, <i>V</i> , of cylinder of rad	lius r, height h.		$V = \pi r^2 h$
Volume, <i>V</i> , of cone of radius	r, height h.		$V = \frac{1}{3}\pi r^2 h$
Volume, <i>V</i> , of sphere of radiu	15 <i>r</i> .		$V = \frac{4}{3}\pi r^3$
$\bigwedge^A$			$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$
			$a^2 = b^2 + c^2 - 2bc\cos A$
			Area $=\frac{1}{2}bc\sin A$

C

© UCLES 2024

В

a

0607/41/O/N/24



 $x = \dots [3]$ 

(b) Solve the equation  $6x^2 - 2x - 1 = 0$ .

Give your answers correct to 2 decimal places. You must show all your working.

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN



[Turn over

 $x = \dots$  [3]

* 000080000004 *	

- 2 (a) Younous wants to calculate  $\frac{78.8}{2.46^2} + \frac{153 + 9.81^2}{\sqrt{9.47}}$ 
  - (i) He finds an estimate for the answer by rounding each number correct to 1 significant figure.

Find this estimate. You must show all your working.

.....[2]

(ii) Explain why his answer to **part** (i) is greater than the actual answer.

.....[1]

(iii) Work out.







..... km<sup>2</sup> [1]

(d) An athlete runs 20 km in 100 minutes and then walks at 8 km/h for 50 minutes.

Find the athlete's average speed in km/h.

龖

DO NOT WRITE IN THIS MARGIN





3 Paulo compares the fuel consumption of his car and the average speed of his car for ten journeys.

6

The results are shown in the table.

Average speed (x kilometres per hour)	48	56	64	72	88	96	104	120	128	136
Fuel consumption (y kilometres per litre)	18	16	14	13.3	12.2	11.8	11.4	9.2	8	7

(a) (i) Complete the scatter diagram.

The first six points have been plotted for you.



(ii) What type of correlation is shown by the scatter diagram?

[2]

[1]

.....

![](_page_5_Picture_15.jpeg)

![](_page_6_Picture_1.jpeg)

(c) (i) Find the equation of the regression line for y in terms of x.

(ii) Use your regression line to estimate the fuel consumption when the average speed is 80 km/h.

7

(iii) Paulo drives his next journey at an average speed of 30 km/h.

Give a reason why the regression line is unlikely to give a reliable estimate of the fuel consumption for this journey.

![](_page_7_Picture_0.jpeg)

![](_page_8_Picture_1.jpeg)

(c) Kurt invests X in a bank which pays simple interest at a rate of 4% each year. The total amount of money that Kurt has in the bank at the end of 6 years is \$930.

9

Show that X = 750.

(d) Ivana invests \$750 in a bank which pays compound interest at a rate of y% each year. The total amount of money that Ivana has in the bank at the end of 6 years is \$921.94.

Find the value of *y*.

y = ..... [3]

![](_page_8_Picture_13.jpeg)

[2]

![](_page_9_Figure_0.jpeg)

The area of triangle ABC is  $262 \text{ cm}^2$ .

(a) Show that AC = 22.0 cm, correct to 1 decimal place.

**(b)** Find *BC*.

[2]

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

![](_page_9_Picture_8.jpeg)

![](_page_10_Picture_1.jpeg)

(c) Use the sine rule to find angle *ABC*.

Angle  $ABC = \dots$  [3]

(d) Find the length of the perpendicular line from A to the line BC.

11

..... cm [2]

![](_page_10_Picture_12.jpeg)

![](_page_11_Figure_0.jpeg)

![](_page_11_Picture_7.jpeg)

	* 00008	00000013 * 13						
(b	) The	e transformation P is a translation with vector $\begin{pmatrix} -1\\ 3 \end{pmatrix}$ .						
	The	The transformation Q is a stretch, factor 3 with invariant line $y = 2$ .						
	(i)	Describe the transformation that is the inverse of P.						
			[2]					
	(ii)	Describe the transformation that is the inverse of Q.						
			[2]					

![](_page_12_Picture_7.jpeg)

[Turn over

![](_page_13_Picture_0.jpeg)

![](_page_13_Picture_1.jpeg)

7 (a) There are 49 students in a year group.

Each student studies at least one of the sciences, biology (B), chemistry (C) and physics (P).

- *x* students study all 3 sciences.
- y students study chemistry only.
- 12 students study physics only.
- 6 students study biology and chemistry but not physics.
- 11 students study biology and physics but not chemistry.
- 2 students study physics and chemistry but not biology.

25 students study only one science.

(i) Show this information on the Venn diagram.

![](_page_13_Figure_13.jpeg)

(ii) Find the number of students who study all 3 sciences.

[2]

![](_page_13_Picture_22.jpeg)

![](_page_14_Picture_1.jpeg)

(iii) The number of students that study biology is two times the number of students that study chemistry.

Find the number of students who study

(a) chemistry only

(b) biology only.

(b) A bag contains 7 red balls and 3 blue balls. In an experiment, three balls are chosen at random without replacement.

Find the probability that at least two of the balls chosen are red.

.....[4]

![](_page_14_Picture_18.jpeg)

8	* (	0000800	0000016	s*	the <i>n</i> th	term in eacl	16 In the following sequences.	HIS MARGIN
	(a)	16,	9,	2,	-5,	-12,		DO NOT WRITE IN TI
	(b)	2,	8,	18,	32,	50,	next term =	DO NOT WRITE IN THIS MARGIN
	(c)	1,	-3,	5,	-7,	9,	next term =	DO NOT WRITE IN THIS MARGIN
	(d)	6,	9,	10,	9, 6	,	next term = [3]	DO NOT WRITE IN THIS MARGIN

next term =	
<i>n</i> th term =	[3]

![](_page_16_Figure_4.jpeg)

<b>(a)</b>	On the diagram, sketch the graph of $y = f(x)$ for values of x between $-2$ and 4.			
(b)	Write down the equations of the asymptotes parallel to the <i>y</i> -axis.			
		[2]		
(c)	Write down the coordinates of the local maximum.			
	()	[2]		
(d)	The line $y = x - 2$ intersects the curve $y = f(x)$ three times.			
	Find the <i>x</i> -coordinate of each point of intersection.			
	$x = \dots$ or $x = \dots$ or $x = \dots$	[3]		

(e) Solve the inequality  $f(x) \ge x - 2$ .

......[3]

[Turn over

![](_page_17_Picture_0.jpeg)

![](_page_17_Picture_1.jpeg)

10 In this question all lengths are in centimetres.

![](_page_17_Figure_4.jpeg)

A solid cone has radius r and vertical height h.

A solid hemisphere also has radius r.

The curved surface area of the cone is the same as the curved surface area of the hemisphere.

(a) Show that  $h = r\sqrt{3}$ .

![](_page_17_Figure_9.jpeg)

(b) The cone is placed directly on top of the hemisphere.

Show that the volume of this solid is  $\frac{1}{3}\pi r^3(2+\sqrt{3})$ .

![](_page_17_Figure_12.jpeg)

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

![](_page_17_Picture_17.jpeg)

[2]

![](_page_18_Picture_1.jpeg)

(c) A larger solid is mathematically similar to the solid in **part (b)**.

The larger solid has volume  $243\pi r^3(2+\sqrt{3})$ .

(i) Find, in terms of *r*, the radius of the hemisphere of the larger solid.

......[2]

(ii) The surface area of the larger solid is  $5000 \text{ cm}^2$ .

Find the volume of this solid.

..... cm<sup>3</sup> [4]

Question 11 is printed on the next page.

![](_page_18_Picture_16.jpeg)

![](_page_19_Picture_0.jpeg)

11 (a) Solve the equation.

 $2\log 5 - 5\log 2 = 3\log 4 - 2\log x$ 

Give your answer in the form  $\frac{a\sqrt{b}}{c}$ , where *a*, *b* and *c* are integers.

20

 $x = \dots [4]$ 

(b) Make *x* the subject of the formula.

$$y = \sqrt{\frac{x}{2x+1}}$$

 $x = \dots$ [4]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

© UCLES 2024

![](_page_19_Picture_12.jpeg)

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN